



Arvicon International

Fusion of architectural creativity with nature's legacy of stone...

SOUTH INDIAN LIME STONE

INDEX

Page No.

◆ LIME GREEN

(3 - 4)

(Wall & Flooring Tiles, Cobbles, Butching Tiles)

◆ LIME PINK

(5 - 6)

(Wall & Flooring Tiles, Cobbles, Butching Tiles)

◆ LIME PEACOCK

(7 - 8)

(Wall & Flooring Tiles, Cobbles, Butching Tiles)

◆ CUDDAPAH BLACK

(9 - 26)

(Wall & Flooring Tiles, Wall Bricks, Cobbles,
Butching Tiles, Pencils, Stepping Stone)

◆ TANDUR BLUE

(27 - 40)

(Bullnosed, Wall & Floor Tiles, Paving Stone,
Cobbles, Wall Bricks)

◆ TANDUR YELLOW


(41 - 68)

(Wall & Floor Tiles, Paving Stone, Wall Bricks,
Cobbles, Pool Corner Tops, Divider)

◆ TANDUR MERUN

(69 - 70)

(Floor Tiles)






Natural



Dry



Wet

Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut.
(30 X 30 X 1cm)



Butching Tiles: Top Surface Rockface,
Bottom Surface Calibrated,
Sides Machine cut.
(30-50 X 10 X 1-1.5cm)




Cobbles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut & tumbled.
(10 X 10 X 1cm)




Place of Origin : MIRAYALGUDA
Loading Port : CHENNAI

Lime Green



Natural



Dry

Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut.
(30 X 30 X1cm)



Wet




Butching Tiles: Top Surface Rockface,
Bottom Surface Calibrated,
Sides Machine cut.
(30-50 X10 X 1-1.5cm)



Cobbles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut & Tumbled.
(10 X 10 X 1cm)



Place of Origin : MIRAYALGUDA
Loading Port : CHENNAI




Natural



Dry

Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut.
(30 X 30 X 1cm)



Wet



Butching Tiles: Top Surface Rockface,
Bottom Surface Calibrated,
Sides Machine cut.
(30-50 X 10 X 1-1.5cm)



Cobbles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut & Tumbled.
(10 X 10 X 1cm)



Place of Origin : MIRAYALGUDA
Loading Port : CHENNAI

Lime Peacock



Dry

Wet

Tiles: Top surface Natural &
Brushed, Bottom Surface Calibrated,
Sides Hand cut.
(40 X 40 X 3cm)



Dry

Tiles: Top Surface Honed (GR 500)
Bottom Surface Calibrated and
Sides Machine cut.
(40 X 40 X 3cm)



Dry

Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut.
(40 X 40 X 3cm)



Dry



Tiles: Top Surface Natural,
Bottom Surface Calibrated,
and Sides Machine cut then Vibrated.
(40 X 40 X 3cm)



Place of Origin : **BETAMCHERLA**
Loading Port : **CHENNAI**



Dry



Tiles: Top Surface Semi Honed,
Bottom Surface Calibrated,
Sides Hand cut.
(40 X 40 X 3cm)



Dry



Tiles: Top Surface Semi Honed
and Brushed, Bottom Surface Calibrated,
sides Machine cut.
(40 X 40 X 2cm)



Dry



Tiles: Top Surface Natural,
Bottom Surface Calibrated,
sides Hand cut then Vibrated.
(40 X 40 X 3cm)



Dry



Tiles: Top Surface Semi Honed,
Bottom Surface Calibrated,
Sides Hand cut Vibrated & then Brushed.
(40 X 40 X 3cm)




Place of Origin : **BETAMCHERLA**
Loading Port : **CHENNAI**



Dry



Tiles: Top Surface Honed (GR 500),
Bottom Surface Calibrated,
sides Hand cut & Vibrated.
(40 X 40 X 3cm)




Dry



Tiles: Top Surface Natural & Brushed,
Bottom Surface Calibrated,
Sides Machine cut. (40 X 40 X 2cm)

Tiles: Top Surface Half Honed,
Bottom Surface Calibrated,
Sides Hand cut then Vibrated.
(40 X 40 X 3cm)




Dry




Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut both Outer Edges Bullnosed.
(30 X 30 X 3cm)




Place of Origin : **BETAMCHERLA**
Loading Port : **CHENNAI**



Dry



Top and Bottom Surface Natural, Sides Hand cut.
(56X84.5, 56X56, 56X27.5, 27.5X27.5, X 3cm)



Dry



Top Surface Honed and Bottom Surface Natural, Sides Hand cut.
(56X84.5, 56X56, 56X27.5, 27.5X27.5, X 3cm)

Dry



STEPPING STONE: Top and Bottom Surface Natural,
Sides Hand cut then Tumbled.
(60 X 40 X 3cm)


Dry



STEPPING STONE: Top and Bottom Surface Natural, sides Hand cut.
(60 X 40 X 3cm)



Place of Origin : **BETAMCHERLA**
Loading Port : **CHENNAI**



Dry

Butchering Tiles: Top Surface Natural,
Bottom Surface Natural,
Sides Machine cut.
(40 X 20 X 2cm)




Dry



Butchering Tiles: Top Surface Honed, Bottom Surface Natural,
Sides Machine cut. (40 X 20 X 2cm)



Butchering Tiles: Top Rockface, Bottom Surface Natural, Sides Machine cut.
(30-50 X 10 X 1-1.5cm)



Wall Bricks / Cobbles :

Wall Bricks: Top & Bottom Surface Natural,
sides Hand cut
(40 X 20 X 8cm)



Dry



Place of Origin : **BETAMCHERLA**
Loading Port : **CHENNAI**



Dry



Dry

Cobbles: Top & Bottom Surface Natural,
Sides Hand cut. (10 X 10 X 8cm)




Dry

Cobbles: Top & Bottom Surface Natural,
Sides Hand cut then Vibrated. (10 X 10 X 8cm)



Dry



Dry

Cobbles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut & Vibrated (14 X 14 X 8cm)




Dry

Cobbles: Top & Bottom Surface Natural
Sides Hand Cut. (20 X 20 X 8cm)



Place of Origin : **BETAMCHERLA**
Loading Port : **CHENNAI**



Dry



Cobbles: Top Surface Honed,
Bottom Surface Natural,
Sides Hand cut. (20 X 20 X 8cm)



Dry



Cobbles: Top and Bottom Surface Natural,
Sides Hand cut. (20 X 20 X 8cm)



Dry



Pencils: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut. (20 X 5 X 4cm)



Dry



Tumbled Pencils: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut then Tumbled. (20 X 5 X 4cm)



Place of Origin : **BETAMCHERLA**
Loading Port : **CHENNAI**







Dry




Wall Bricks: Top and Bottom Surface Natural, Sides Hand cut. (40 X 10 X 5cm)

Wet



Tandur Blue



Dry



Wet



Wall Bricks: Top Surface Natural, Bottom Surface Calibrated, Sides Hand cut. (40 X 20 X 8cm)

Tandur Blue



Place of Origin :TANDUR
Loading Port : CHENNAI

Dry



Cobbles: Top and Bottom Surface Natural,
Sides Hand cut. (20 X 20 X 3cm).

Dry



Cobbles: Top and Bottom Surface Natural,
Sides Hand cut then Tumbled.
(10 X 10 X 3cm)

Dry



Cobbles: Top & Bottom Surface Natural,
Sides Hand cut & Vibrated. (20 X 10X 3cm).

Dry



Pavings: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut.
(30 X 20 X 3cm)



Place of Origin :TANDUR
Loading Port : CHENNAI

Dry



Pavings: Top and Bottom Surface Natural,
Sides Hand cut. (20 X 10 X 4cm).

Wet

Dry



Pavings: Top and Bottom Surface Natural,
Sides Machine cut then Tumbled. (30 X 20 X 3cm)

Wet



Dry



Wall Tiles: Top Surface Natural,
Bottom Calibrated and
Sides Machine cut then Tumbled. (40x20x2cm)

Wet

Dry



Wall Tiles: Top Surface Natural and Brushed,
Bottom Surface Calibrated,
Sides Machine cut. (30-70 X 30 X 2cm)

Wet



Tandur Blue

Tandur Blue



Dry



Tiles: Top and Bottom Surface Natural,
Sides Hand cut and Tumbled.
(60 X 40, 40 X 40, 39.7 X 19.5cm, 19.5 X19.5 X4cm)



Wet

Dry



Hexagonal Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut. (30 X 30 X 3cm)

Wet



Dry




Wet

Tiles: Top Surface Honed,
Bottom Calibrated,
Sides Machine cut then Vibrated.
(60 X 60 X 2cm)



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Wet

Tiles: Top and Bottom Surface Natural,
Sides Hand cut. (40 X 40 X 3cm)

Dry



Wet

Tiles: Top Surface Semi Honed,
Bottom Calibrated and Sides Hand cut
then Vibrated & Brushed. (40 X 40 X 3cm)

Tandur Blue



Dry

Wet

Tiles: Top Surface Half Honed and
Brushed, Bottom Calibrated,
Sides Machine cut. (40 X 40 X 2cm)

Dry


Wet

Tiles: Top Surface Natural,
Bottom Calibrated,
Sides Machine cut. (30 X 30 X 2cm)


Tandur Blue



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Skirtings: Top Surface Natural and Brushed,
Bottom Surface Calibrated,
Sides Machine cut. (30-50 X 10 X 1cm)


Dry



Butching Tiles: Top Surface Rock face,
Bottom Surface Natural, Sides Machine cut.
(30-50 X 10 X 1-1.5cm)



Wet



Dry




Bullnosed Tile : Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut One Long Edge Bullnosed.
(60 X 35 X 3cm)

Dry



Bullnosed Tile : Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut One Long Edge Bullnosed
and Tumbled. (60 X 35 X 3cm)



Place of Origin :TANDUR
Loading Port : CHENNAI

Tandur Blue





Dry



Wall Bricks: Top and Bottom Surface Natural, Sides Hand cut. (40 X 10 X 5cm)

Wet



Dry



Wet



Wall Bricks: Top & Bottom Surface Natural, Sides Hand cut then Tumbled. (30-50 X 20 X 10cm)



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Wall Bricks: Top Surface Natural,
Bottom Surface Calibrated,
Sides Hand cut then Tumbled.
(30-50 X 20 X 5/7.5/10cm)



Wet



Wall Bricks: Top Surface Natural,
Bottom Surface Calibrated,
Sides Hand cut then Tumbled.
(30-50 X 20 X 5/7.5/10cm)



Dry



Cobbles; Top and Bottom Surface Natural,
Sides Hand cut (10 X 10 X 5cm)

Wet



Dry



Wet



Cobbles; Top Surface Natural and Bush Hammered,
Bottom Surface Natural, Sides Hand cut. (30 X 20 X 5cm)



Place of Origin :TANDUR
Loading Port : CHENNAI

Tandur Yellow

Dry

PRIME SCAN



Cobbles: Top and Bottom
Surface Natural, Sides Hand cut,
then Tumbled. (10 X 10 X 5cm)

Wet



Dry



Cobbles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut then Tumbled.
(10 X 10 X 5cm)

Wet



Dry



Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut. (10 X 10 X 5cm)

Wet



Dry



Pencils: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut & Tumbled.
(20 X 5 X 4cm)

Wet



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Wet

Cobbles: Top Surface Bush Hammered,
Bottom Surface Natural,
Sides Hand cut then Vibrated and Brushed.
(30 X 20 X 5cm)

Dry



Wet

Cobbles: Top Surface Bush Hammered,
Bottom Surface Natural,
Sides Hand cut then Vibrated.
(30 X 20 X 5cm)



Dry



Wet

Cobbles: Top Surface Brushed,
Bottom Surface Natural,
Sides Hand cut (20 X 10 X 5cm)

Dry



Wet

Cobbles: Top Surface Natural,
Bottom Natural, Sides Hand cut,
then Tumbled and Brushed.
(20 X 10 X 5cm)



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Paving: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut. (30 X 10 X 5cm)

Dry



Pavings: Top and Bottom Surface
Natural, Sides Hand cut.
(30 X 10 X 5cm)



Dry



Pavings: Top Surface Natural, Bottom surface
calibrated, Sides Machine cut then Tumbled.
(30 X 10 X 4cm)


Dry



Cobbles: Top and Bottom Surface Natural,
Sides Hand cut and then Tumbled.
(30 X 15 X 5cm)



Wet



Wet



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Wet

Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Hand cut. (56 X 56 X 4cm)



Dry



Wet

Pattern Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Hand cut then Vibrated.
(60 X 40, 40 X 40, 39.7 X 19.5, 19.5 X 19.5 X 4cm)

Dry



Wet

Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Hand cut then Vibrated.
(56 X 56 X 4cm)



Dry



Wet

Pattern Tiles: Top Surface Natural,
Bottom Surface Calibrated, Sides Hand cut.
(60 X 40, 40 X 40, 39.7 X 19.5, 19.5 X 19.5 X 4cm)



Dry



Wet

Tiles: Top Surface Half Honed, Bottom Surface Calibrated, Sides Hand cut and then Tumbled & Brushed. (40-60 X 40 X 4cm)

Dry



Wet

Tiles: Top Surface Natural, Bottom Surface Calibrated, Sides Machine cut. (30 X 30 X 2cm)

Tandur Yellow

Dry



Wet

Tiles: Top Surface Natural, Bottom Surface Calibrated, Sides Hand cut then Vibrated. (84 X 56 X 4cm)

Dry



Wet

Free length Tiles: Top Surface Natural, Bottom Surface Calibrated, Sides Machine cut & Vibrated. (30-70 X 30 X 3cm)

Tandur Yellow



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Wet

Wall Tiles: Top Surface Natural, Bottom Surface Calibrated, Sides Machine cut then Tumbled & Brushed. (40 X 20 X 1cm)



Dry



Wet

Tiles: Top and Bottom Surface Natural, Sides Hand cut. (30 X 30 X 3cm)



Dry



Wet

Tiles: Top Surface Natural & Brushed, Bottom Surface Calibrated, Sides Machine cut. (30 X 30 X 1cm)



Dry



Wet

Tiles: Top Surface Honed, Bottom Surface Calibrated, Sides Hand cut. (30 X 30 X 3cm)



Place of Origin :TANDUR
Loading Port : CHENNAI

Dry




Tiles: Top Surface Half Honed, Bottom Surface Natural, Sides Hand cut and then Vibrated. (40 X 40 X 3cm)

Dry



Palisades: Top & Bottom Surface Natural, Sides Hand cut then Reworking with Pointed Chisel. (100 X 35 X 5cm)



Dry



Pool Corner: Top Surface Natural, Bottom Surface Calibrated, Sides Machine cut. Inside Long Edge Bullnosed.


Dry



Pool Corner: Top Surface Natural, Bottom Surface Calibrated, Sides Machine cut. Inside Long Edge Bullnosed and Vibrated.



Wet





Dry



Circle with border: Top and Bottom Surface Natural
Sides Hand cut then Vibrated. (4 mtrs, Dia with Border)

Wet



Dry



Steps: Top and Bottom Surface Natural,
Sides Hand cut then Reworking with Pointed
Chisel. (100 X 35 X 10cm)

Wet



Dry



Bullnosed Tiles: Top Surface Natural, Bottom Surface Calibrated,
Sides Machine cut and One Long Edge Bullnosed then Tumbled.
(60 X 35 X 3cm)

Wet



Place of Origin :TANDUR
Loading Port : CHENNAI



Dry



Wet


Rebeter Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut and One Long Edge Bullnosed.
(60 X 30 X 2-5cm)

Dry



Wet

Wall top: Top Surface Natural, Bottom Surface Calibrated,
Natural Sides Hand cut with 2 Water nosed on both long Edges
then Vibrated. (50 X 30 X 5cm)



Dry



Wet



Wall Top: Top & Bottom Surface
Natural Sides Hand cut then Vibrated.
(60 X 30 X 4cm)

Dry



Wet



Kerb Stone: Top and Bottom Surface Natural,
Sides Hand cut and vibrated. (100 X 20 X 5cm)



Place of Origin :TANDUR
Loading Port : CHENNAI

Dry



Wet

Stepping Stone: Top Surface Natural,
Bottom Surface Calibrated,
Sides Hand cut. (60 X 40 X 3cm)

Dry



Wet

Tumbled Stepping Stone:
Top Surface Natural,
Bottom Surface Calibrated,
Sides Hand cut then Tumbled.
(60 X 40 X 3cm)



Dry



Wet



Tumbled Crazy: Top and Bottom
Surface Natural, Sides Mines cut
then Tumbled. (30-60 X 30-60 X 3cm)

Dry



Wet



Hexagonal Tiles: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut. (30 X 30 X 3cm)



Place of Origin :TANDUR
Loading Port : CHENNAI

Dry



Divider: Road Divider with one Long Edge Bullnosed.
(60 X 35 X 5cm)

Dry





Skirtings: Top Surface Natural,
Bottom Surface Calibrated,
Sides Machine cut. (30-50 X 10 X 1cm)

Dry





Butching Tiles: Top Surface Rockface,
Bottom Surface Natural,
Sides Machine cut. (30-50 X 10 X 1-1.5cm)

Wet



Place of Origin :TANDUR
Loading Port : CHENNAI





Tile : Top Surface Natural & Brushed
Bottom Surface Calibrated, Sides Machine cut. (40 X 40 X 2cm)



Tile : Top Surface Half Honed & Brushed
Bottom Surface Calibrated, Sides Machine cut. (40 X 40 X 2cm)



Place of Origin : **TANDUR**
Loading Port : **CHENNAI**



ARVICON

Crafted By Nature

www.indiastones.com
www.indiakotastones.com
www.arviconinternational.com

Arvicon International

Fusion of architectural creativity with nature's legacy of stone...

L - 43, Connaught Circus, New Delhi, 110 001 INDIA
Tel.: +91-11-23416350 / 23413351, Fax.: +91-11-41536054, 23416357
Email: arvicon@arviconinternational.com