

# All About Stone Veneers



#### Showroom Address:

Plot Number – 229, Above Honda Showroom, Sector 9 (Near Metro Station), Dwarka, New Delhi  
[www.stoneveneer.co.in](http://www.stoneveneer.co.in), [www.stonearth.in](http://www.stonearth.in)

#### Corporate Office:

Arvind Construction Company Pvt. Ltd.

L-43, Connaught Circus, New Delhi -110001, India

Tel: 0091-11-23416350, Fax: 0091-11-23416357, Email: [info@arvicon.com](mailto:info@arvicon.com), [www.arvicon.com](http://www.arvicon.com)

 **stonearth**  
made of trust



# Awards & Accolades



# Contents

- ☰ Chairman's Message ..... 01
- ☰ Introduction ..... 02
- ☰ Advantages ..... 03
- ☰ Product Gallery ..... 04-15
- ☰ Product Flexibility ..... 16
- ☰ Installation Process ..... 17-18
- ☰ Photo Gallery ..... 19-29
- ☰ Completed Projects ..... 30-32



## Chairman's Message



**You don't realize the distance  
you've walked until  
you look around to see how far  
you've come.**


The last 50 years have been a long and wondrous journey. Truly, we have come a long way since 1962, when our company was founded with the main objective of undertaking civil construction works. Somewhere along the way, we grew and diversified in the fields of Mining, Construction, Manufacturing, International Trading, Renewable Energy and Healthcare. While our portfolio has been diverse, the core values that drive us have stayed the same. Integrity, ethics, excellence and responsibility - these four beacons have illuminated every step on this journey, taking us farther and higher, expanding our vision and fuelling our ambition. Another aspect that has stayed consistent throughout this journey is our unceasing quest for new opportunities. Each new opportunity is analyzed with utmost care, not just for the financial returns but also for its compatibility with the value system of our organization. We are confident that our exponential growth over the next decade will be built over the edifice of our values, a dedicated pool of personnel, investment in state-of-the-art technologies and the continued trust of our clients. Our practice of giving back to society has bestowed us with the unwavering trust of our employees, shareholders and society. We hope to continue this legacy in the way we conduct our present and future businesses.



## Introduction

A song among the stones comes to life with an essence of timeless beauty and elegance. None on earth can replicate the grace and glamour of a real stone. Except our exquisite range of stone veneers. Veneers are lightweight, flexible, acrylic sheets with a layer of natural stone. The final product is a beautiful natural stone effect which is easy to cut, transport and install. Available in a variety of textures and colour palettes; stone veneers are extensively used in furniture, doors, windows, kitchens, washrooms and even as fashion accessories.

At Stonearth, we design and create exquisite stones for homes and businesses. Each piece of our natural stone veneer is a masterpiece and is crafted uniquely to complement your individual project.



## Advantages

Stone Veneers are lightweight, flexible and colourful with unlimited architectural possibilities.

- Veneers fit onto every surface that are now-a-days used in construction.
- Veneers are significantly easier to install even on curved areas.
- Veneers are available in many colours and in a variety of desired shapes and sizes.
- Veneers are durable and shock resistant.
- It is easy to maintain stone veneers and requires no special cleaning device.
- Changing weather conditions have no effect on veneers.
- Lastly, veneers give a wonderful look to your home.



## Product Gallery


As the demand of stone veneers increased, so did our wide product line. Today, Stonearth veneers are available in almost any colour and style imaginable. Browse through our product gallery and we'll make sure you're thoroughly impressed.



Autumn Rustic



Grey Beauty




California Gold



Copper



Deoli Green




Golden



Silver Grey



Indian Autumn



Zeera Green



Kund Black




Kund Multi



Line Black



Ocean




Pink Multi



Sanjeevani White



Shine Copper



Autumn Black



Silver Shine



Steel Copper



Steel Grey



Tan Brown



Terra Red



Tan White



Forest Fire

## Opaque Stone Veneer

Size : 4ft X 2ft | Thickness : (1 – 3)mm | Colour Variants : 37

### Application:


This easy-to-install and light weight veneer can be used as tiles. It can be useful in covering small areas of furniture. As it does not require any fastener, it can be installed on facades of high elevation buildings as well.

## Opaque Stone Veneer

Size : 4ft X 2ft | Thickness : (1 – 3)mm | Colour Variants : 37

### Application:

This easy-to-install and light weight veneer can be used as tiles. It can be useful in covering small areas of furniture. As it does not require any fastener, it can be installed on facades of high elevation buildings as well.



Lime Grey




Lime Copper



Lime Gold



Lime Green



Lime Peacock



Lime Pink




Rain Forest Green



Rain Forest Brown



Rain Forest Gold



Rainbow



Teakwood



Mint



Dholpur Beige

## Opaque Stone Veneer

Size : 4ft X 2ft | Thickness : (1 – 3)mm | Colour Variants : 37

### Application:

This easy-to-install and light weight veneer can be used as tiles. It can be useful in covering small areas of furniture. As it does not require any fastener, it can be installed on facades of high elevation buildings as well.



Autumn Rustic  
(Yellow Light)



Autumn Rustic  
(White Light)



Grey Beauty  
(White Light)



Grey Beauty  
(Yellow Light)



California Gold  
(White Light)



Copper  
(Yellow Light)



Copper  
(White Light)



Deoli Green  
(Close-up)



Golden  
(Close-up)



Golden  
(Yellow Light)



Silver Shine  
(Yellow Light)



Line Black  
(White Light)

## Translucent Stone Veneer

Size : 4ft X 2ft | Thickness : (1 – 3)mm | Colour Variants : 24

### Application:

This veneer is an alternative to the expensive Onyx stone. It is useful in highlighting specific areas like bar counters, ceilings, wall-highlights, etc. It can also be used in covering articles like lamps and table-tops.




Indian Autumn  
(Yellow Light)



Indian Autumn  
(White Light)



Indian Autumn



Steel Copper  
(White Light)



Steel Copper  
(Close-up)



Tan Brown  
(White Light)



Indian Autumn  
(Close-up)



Zeera Green  
(Close-up)




Zeera Green  
(Yellow Light)




Tan Brown  
(Close-up)



Terra Red  
(Close-up)



Terra Red  
(White Light)



Kund Black  
(White Light)



Pink Multi  
(Close-up)



Shine Copper  
(White Light)



Shine Copper  
(Close-up)



Sanjeevani White  
(Yellow Light)



Silver Grey  
(Yellow Light)

## Translucent Stone Veneer

Size : 4ft X 2ft | Thickness : (1 – 3)mm | Colour Variants : 24

### Application:

This veneer is an alternative to the expensive Onyx stone. It is useful in highlighting specific areas like bar counters, ceilings, wall-highlights, etc. It can also be used in covering articles like lamps and table-tops.

## Translucent Stone Veneer


Size : 4ft X 2ft | Thickness : (1 – 3)mm | Colour Variants : 24

### Application:

This veneer is an alternative to the expensive Onyx stone. It is useful in highlighting specific areas like bar counters, ceilings, wall-highlights, etc. It can also be used in covering articles like lamps and table-tops.



Tan White  
(White Light)



Tan White  
(Yellow Light)



Autumn Black



Forest Fire  
(White Light)




Kund Multi  
(White Light)



Silver Grey  
(White Light)




Steel Grey  
(White Light)



Zeera Green  
(White Light)



Ocean  
(White Light)



California Gold



Copper



Deoli Green



Golden



Indian Autumn



Zeera Green



Kund Multi



Silver Grey



Line Black



Ocean



Silver Shine



Steel Grey



Tan Brown



Autumn Rustic

## Translucent Stone Veneer

Size : 4ft X 2ft | Thickness : (1 – 3)mm | Colour Variants : 24

### Application:

This veneer is an alternative to the expensive Onyx stone. It is useful in highlighting specific areas like bar counters, ceilings, wall-highlights, etc. It can also be used in covering articles like lamps and table-tops.

## Opaque Stone Veneer

Size : 8ft X 4ft | Thickness : (1 – 3)mm | Colour Variants : 28


### Application:

This full slab veneer is used to cover whole areas like doors, walls, floors, etc. without any break or joint. This can be used around columns as well.





Grey Beauty



Kund Black




Pink Multi




Sanjeevani White



Tan White



Shine Copper




Autumn Black



Terra Red



Forest Fire



Rain Forest Green



Rain Forest Gold



Rain Forest Brown




Teakwood




Rainbow



Autumn Rustic




California Gold



Deoli Green



Indian Autumn



Kund Black



Kund Multi



Line Black



Tan Brown



Tan White



Copper



Ocean



Sanjeevani White

## Opaque Stone Veneer

Size : 8ft X 4ft | Thickness : (1 – 3)mm | Colour Variants : 28

### Application:

This full slab veneer is used to cover whole areas like doors, walls, floors, etc. without any break or joint. This can be used around columns as well.

## Thin Stone Veneer

Size : 4ft X 2ft | Thickness : (0.5 - 0.7)mm | Colour Variants : 22

### Application:

This really thin and flexible veneer can be curved and bent 180 degrees without breaking it. It is useful over places with steep curvatures like rounded table sides. It can even be pasted or stitched over articles like sofas, cushions, diaries, etc.




Terra Red



Forest Fire



Golden




Autumn Black



Grey Beauty




Multi Pink




Steel Grey



Shine Copper



Silver Shine



Zeera Green



Autumn Black



Terra Red



Autumn Rustic



Indian Autumn

## Thin Stone Veneer

Size : 4ft X 2ft | Thickness : (0.5 - 0.7)mm | Colour Variants : 22

### Application:

This really thin and flexible veneer can be curved and bent 180 degrees without breaking it. It is useful over places with steep curvatures like rounded table sides. It can even be pasted or stitched over articles like sofas, cushions, diaries, etc.

## Thin Stone Veneer Flexibility

Size : 4ft X 2ft | Thickness : (0.5 - 0.7)mm | Colour Variants : 22

### Application:

This really thin and flexible veneer can be curved and bent 180 degrees without breaking it. It is useful over places with steep curvatures like rounded table sides. It can even be pasted or stitched over articles like sofas, cushions, diaries, etc.

## INSTALLATION

### Flexibility

Stone Veneer can be used the same way thin laminate type products are used. It will bend to a minimum radius depending on the stone color or type before cracking. With the assist of heat smaller radii can be achieved. Testing should always be done prior to any installation. It can be arched or bent inward or outward to meet a given look or architecture. Fiberglass strand are used in the makeup of Stone Veneer which gives it strength and flexibility.

Installation can be easily done using many of the basic tools used in most tile work.

### Preparation & Layout

Prior to application it is best to clean, brush, and degrease any surface of dust or oils. Depending on the adhesive used, it may be necessary to prep the back of the Stone Veneer by sanding or scuffing the back to expose the fiberglass. Some adhesives may require the use of solvents or recommended primer by the adhesive manufacturer.

A preliminary dry fit of veneers allows for arrangements and orientation of individual sheets, patterns, textures, and colors before final placement. It is recommended that each sheet be dry fit exactly where it will be placed on all surfaces.

### Tiling, Grouting & Joining

Veneer can be also be used to create a tiled effect by leaving a grout joint between cut pieces. Sheets may also be butt joined for a minimal seam look.

### Sealers

Stone Veneer can be sealed with the same sealers used for slate, stone tiles, and wood. There are many sealers on the market with various recommended applications. Please test any sealer for the desired luster and penetration required prior to installation.



### Cutting

Veneer can be cut with tin snips, a metal shear, wet saw, or table saw with carbide blade. Cutting curves is best done using long nosed tin snips.

### Adhesives

All adhesives should be tested prior to any installation including consideration of moisture and temperature in the planned environment. If the application is outdoors, consideration to thermal expansion should be taken into account. Since the sheets is only a veneer it must expand and contract the same as the substrate or delamination may occur.

### Hand Rollers

A hand roller is recommended to remove air between sheet and substrate. To properly roll out trapped air start in the middle of a sheet while firmly rolling out towards the edge. Do not press too hard while rolling as this may cause too much adhesive to push out. Proper back-filling and good rolling techniques will result in a solid hard surface. Do not use non-catalyzing (water vapor type) cure adhesives where the substrate is a moisture barrier. Non-catalyzing adhesive will not cure properly if applied between non-porous materials.



## DOOR INSTALL

This project involved covering an old door with Silver Shine Veneer. Proper surface prep is important. The surface was sanded and brushed clean before the Veneer was installed

Veneer is laid out and cut with sheet metal shears. Cutting is simple because of its thin, flexible nature. Note the back of the material is scribed with a knife.



### Subfloor materials:

For new installations Veneer is best adhered over most standard subfloor materials such as cement board, and backer board usually in the 1/2" to 3/4" thickness range. Using a layer of cement board or backer board over wood floors will result in a more solid feel to the finished floor.

### Installation on Walls

OVER EXISTING TILE SAVES TIME AND MONEY. Since you don't need to remove the tile, you can simply adhere Veneer over it. You will also save time and labor by not renovating what tile there is. As long as the tile is sound why remove it? With this type of resurfacing you can reduce the environmental impact of a total renovation AND keep the existing plumbing.



Before



After



## FLOORING

Veneer can be used for flooring with the proper adhesive and application techniques. Since it is not a thick solid stone it is not recommended for high traffic areas.






## Photo Gallery


Please take a walk through the following sample homes complemented with our wide range of stone veneers.



 **stonearth**  
made of trust




 **sonearth**  
made of trust




 **sonearth**  
made of trust




 **sonearth**  
made of trust




 **sonearth**  
made of trust




 **sonearth**  
made of trust



 **sonearth**  
made of trust



 **sonearth**  
made of trust



 **sonearth**  
made of trust



# Completed Projects

Browse through some of our completed architectural marvels, across the national and international markets.



STEEL COPPER - JAPAN



AUTUMN RUSTIC & TAN WHITE - COLOMBIA




COPPER - COLOMBIA



OCEAN - JAPAN



COPPER - COLOMBIA





KUND MULTI - JAPAN



COPPER - JAPAN



AUTUMN RUSTIC - JAPAN



KUND BLACK - JAPAN



SHINE COPPER - JAPAN



SILVER GREY - JAPAN



SHINE COPPER - JAPAN



TAN BROWN - NEW DELHI, INDIA



CALIFORNIA GOLD - JAPAN



INDIAN AUTUMN - COLOMBIA



COPPER & INDIAN AUTUMN - COLOMBIA



KUND MULTI - COLOMBIA