

ARVICON

Crafted By Nature

L-43, Connaught Circus, New Delhi-110001, INDIA
Phone: +91-11-23416350, 2341 3351
Fax : +91-11-41536054, 23416357
Email: arvicon@arvicon.com

www.arvicon.com



ARVICON

Crafted By Nature





ARVICON

Crafted By Nature

ARVICON

Crafted By Nature

About Arvicon

We are Arvind Construction Company, a company with a progressive and professional approach aiming at undertaking civil construction works in India as well as abroad. Our company is one of the leading construction organizations in the Indian sub-continent and have successfully executed various construction jobs of high reputation both in the country as well as abroad. We had started with an annual turnover of about Rs.2 Million (Rs.20 lacs) in the first few years, which has now grown to an annual turnover of Rs.14720 Million (Rs.147 crores) in the recent past. We have also signed Five MOU's with the Himachal Government for setting up Mini Hydel Projects, totaling to about 15 MW in Sirmour District on Build-Own-and-Operate-Basis.

Established in the year 1962, at New Delhi, we have consistently worked with the objective of business ethics and management techniques and have made an all-round growth in activities of diversified nature. As an organization, we have successfully diversified into mining of Chrome Ore and Iron Ore and manufacture of Concrete Sleepers for Railway, Health Care, Investment Finance activities and Exports of Natural stone. Our subsidiary Arvicon International is one of India's prime natural stone mining & processing company.

About Arvicon International

Arvicon International is among the top 5 natural stone exporters in North India and is exporting more than 1800 TEU's annually. It offers marble, granite, sandstone and limestone in forms of tiles, blocks, slabs, mosaics, natural stone tiles, natural stone floor tiles, natural stone wall tiles, etc. The array of natural stones offered is known for more exacting standard and ultimate beauty & endurance. The company believes in continually upgrading its processing techniques and embracing the latest technology to enhance product quality & variety. Arvicon directly employees 75 professionally qualified trained professionals and executives and indirectly through sub contractor and sub supplier, there are more than 800 workers working exclusively for Arvicon International. The company has developed and invested in substantial infrastructure and stocks to meet the requirement of its customers. During the several years of industry presence years, Arvicon has gained diverse experience of working with varied clients and meeting their specific requirement.

Our Infrastructure

Arvicon has a well laid processing unit at Hattipura, Bundi, which caters to the varied and specific demands of natural stone processing. The facility are well equipped with efficient machines to process natural stones material and deliver optimum variety & finishing. The company has its branch office in Kota, Rajasthan, which primarily coordinates with all mines and site units. It also has its stock yard in Kota Industrial Area, which specifically caters to materials coming from mines outside the state of Rajasthan. The other stockyard is at Bijolia Mines Area, which is situated almost in the center of all the sandstones mines near Kota and is used specifically for hand-cut tiles.

With corporate office at Delhi, the company executes all it's product designing and export monitoring from this office. Well equipped facility and efficient networking has enabled Arvicon to export Indian natural stones across all markets in Europe and Latin and Southern America.

INDEX

Indoor Tile
05 to 33.....

Outdoor Tile
37 to 63.....

Slab
65 to 79.....

Subway Tile
83 to 112.....



09
mm

Inspired
by
colors
of nature

floor | wall | elevation

Port of loading



Mundra


- 05 Armani Bianco
- 06 Armani Silver
- 07 Armani Brown
- 08 Armani Crema
- 09 Arctic White
- 10 Calcutta Gold Borghini
- 11 Carara Bianco
- 12 Duck White
- 13 Elegant Satuario
- 14 Ice Berg
- 15 Rosso Venata
- 16 Spider Grey
- 17 Satuario Shine
- 18 Satuario Snow
- 19 Petra Brown
- 20 Queen Grey
- 21 Royal Botticino
- 22 Safari Beige
- 23 Sarancolin Versallies
- 24 Crema Marfil
- 25 Marvel Golden
- 26 Satuario Select

GLOSSY

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ARMANI BIANCO



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



105

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ARMANI SILVER



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com




106

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ARMANI BROWN



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



107



108

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ARMANI CREMA



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ARCTIC WHITE



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



09



10

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



CALCUTTA GOLD
BORGHINI



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



CARARA BIANCO



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



11

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



DUCK WHITE



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



12

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ELEGANT SATUARIO



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com




13

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ICE BERG



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com




14

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



ROSSO VENATA



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com




15

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



SPIDER GREY



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



16

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



SATUARIO SHINE



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



SATUARIO SNOW



Available sizes | 600x600, 600x900,
600x1200


www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



PETRA BROWN



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



19




20

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



QUEEN GREY



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com

ARVICON
Created by Nature

Finish

Glossy
Glazed
Porcelain
Tile **09 mm**



ROYAL BOTTICINO



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



ARVICON
Created by Nature

Finish

Glossy
Glazed
Porcelain
Tile **09 mm**



SAFARI BEIGE



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



SARANCOLIN VERSALLIES



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



CREMA MARFIL



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



MARVEL GOLDEN



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



SATUARIO SELECT



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



**09
mm**

Inspired
by
**colors
of nature**

floor | wall | elevation

Port of loading



Mundra

29 Golden Portoro
30 Petra Grey
31 Sahara Noir
32 Silver Portoro
33 Titanium Grey

**HIGH
GLOSSY**



www.arvicon.com

ARVICON
Crafted By Nature

Finish

HIGH Glossy
Glazed
Porcelain

Tile **09 mm**




www.arvicon.com

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



GOLDEN PORTORO



Available sizes | 600x600, 600x900,
600x1200


www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



PETRA GREY



Available sizes | 600x600, 600x900,
600x1200


www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



SAHARA NOIR



Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com



31





32

ARVICON
Crafted by Nature

Finish

Glossy
Glazed
Porcelain
Tile 09 mm



SILVER PORTORO




Available sizes | 600x600, 600x900,
600x1200

www.arvicon.com

Finish

Glossy
Glazed
Porcelain
Tile **09 mm**



TITANIUM GREY



Available sizes | 600x600, 600x900, 600x1200



TECHNICAL SPECIFICATION

NOMINAL SIZE : 60 X 120 CM (RECTIFIED)
 THICKNESS : 9.3mm
 TYPE OF PRODUCT : GRES PORCELLANATO TILE
 NATURE OF SURFACE : PGVT
 REF. STANDARD : INTERNATIONAL STANDARD ISO 13006:2012



TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	OUR VALUE SPECIFICATION FOR PRODUCTION
Length	BS EN ISO 10545-2	±0.6%	±0.07% (± 0.4 mm)
Width	BS EN ISO 10545-2	±0.6%	±0.13% (± 0.4 mm)
Thickness	BS EN ISO 10545-2	±5%	±4.2% (± 0.4 mm)
Straightness of Sides	BS EN ISO 10545-2	±0.5%	±0.06% (± 0.4 mm)
Rectrangularity	BS EN ISO 10545-2	±0.5%	±0.12%
Surface Flatness: Center Curvature	BS EN ISO 10545-2	±0.5%	±0.15%(+ 1.0 mm) ±0.07%(- 0.5 mm)
Surface Flatness: Edge Curvature	BS EN ISO 10545-2	±0.5%	+ 0.17% (+ 1.0 mm) +0.08% (+0.5 mm)
Surface Flatness: Warpage	BS EN ISO 10545-2	±0.5%	- 0.15% (+1.0 mm) - 0.07% (-0.5 mm)
Water Absorption	BS EN ISO 10545-3	E ≤ 0.5%	E ≤0.1%
Breaking Strength	BS EN ISO 10545-4	≥1300 N	≥ 2000 N
Modulus of Rupture	BS EN ISO 10545-4	≥35 N/MM ²	≥ 36 N/MM ²
Resistance to Surface Abrasion	BS EN ISO 10545-7	Manufacture to state abrasion class	PEI Class 2-5
Coefficient of Liner Thermal Expansion	BS EN ISO 10545-8	6 x10 ⁻⁶ K ⁻¹ Max	≤ 6 x10 ⁻⁶ K ⁻¹
Resistance Thermal Shock	BS EN ISO 10545-9	Mini 10 Cycles	10 Cycles
Crazing Resistance	BS EN ISO 10545-11	Mini 4 Cycles 7.5 Bar	4 Cycles Pass
Resistance to household Chemicals & Swimming pool slats	BS EN ISO 10545-13	Minimum Class GB	Class GA
Resistance to low Concentrations acids & Alkalis	BS EN ISO 10545-13	Minimum Class GB	Class GA
Resistance to stains	BS EN ISO 10545-14	Minimum Class 3	Class 5

PACKAGING DETAILS

PRODUCT	SIZE (MM)	PCS/Box	SQM/Box	Approx Weight/Box	Container Packing	Rupess/Sqft	Type of Pallet
PGVT	600X1200	2	1.44	31kg	1 CONTAINER = 17 PALLET 10 PALLET = 600 BOX = 864 SQM 7 PALLET = 189 BOX = 272.16 SQM 1 CONTAINER = 789 BOX = 1136.16 SQM		NORMAL

TILES

Inspired
by
colors
of nature

floor | wall | elevation



- 37 Quartz Dark Grey
- 38 Riverside Mocha
- 39 Riverside Pearl
- 40 Quartzite White
- 41 Black Mustang
- 42 Kandla Grey
- 43 Cappuccino Grey
- 44 Cappuccino Beige
- 45 Random Wood
- 46 Belgium Grey
- 47 Mountain White
- 48 Mountain Black
- 49 Mountain Chocolate
- 50 Mountain Sand
- 51 Limestone Crema
- 52 Limestone Grey
- 53 Fossil Grey
- 54 Fossil Black
- 55 Earthcore Grey

- 56 Country Silver
- 57 Blue Stone Light Grey
- 58 Blue Stone Dark Grey
- 59 Quartz White
- 60 Quartz Light Grey
- 61 Anthracite

FLOOR OUTDOOR TILE



www.arvicon.com

ARVICON

Crafted By Nature

Finish

R-11
Antislip
Tile

Thickness:

600x600, 900x600, 1200x600,
800x800 , Patio Pack




600x1200MM



600x900MM



800x800MM



600x600MM




www.arvicon.com

ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



QUARTZ DARK GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



RIVERSIDE MOCHA



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Created by Nature

Finish

R-11
Antislip
Tile 20 mm



RIVERSIDE PEARL



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Created by Nature

Finish

R-11
Antislip
Tile 20 mm



QUARTZITE WHITE



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs


www.arvicon.com



ARVICON
Crafted by Nature

Finish

**R-11
Antislip**
Tile 20 mm



BLACK MUSTANG



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs


www.arvicon.com



ARVICON
Crafted by Nature

Finish

**R-11
Antislip**
Tile 20 mm



KANDLA GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com

ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



CAPPUCCINO GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



CAPPUCCINO BEIGE



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



RANDOM WOOD



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



BELGIUM GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com

ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



MOUNTAIN WHITE



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



MOUNTAIN BLACK



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



MOUNTAIN CHOCOLATE



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs


www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



MOUNTAIN SAND



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



LIMESTONE CREMA



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



LIMESTONE GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



FOSSIL GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs


www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



FOSSIL BLACK



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com

ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



EARTHCORE GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



COUNTRY SILVER



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com

ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



BLUE STONE
LIGHT GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



57

ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



BLUE STONE
DARK GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com




58

ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



QUARTZ WHITE



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com



ARVICON
Crafted by Nature

Finish

R-11
Antislip
Tile 20 mm



QUARTZ LIGHT GREY



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs

www.arvicon.com






ANTHRACITE



Available sizes | 1200x600, 900x600
600x600, 1200x295
Patio Packs



TECHNICAL SPECIFICATION

NOMINAL SIZE : 60 X 60 CM
THICKNESS : 20.0mm
TYPE OF PRODUCT : OUTDOOR TILE (HEAVY DUTY)
NATURE OF SURFACE : FULL-BODY R11
REF. STANDARD : INTERNATIONAL STANDARD ISO 13006:2015 GROUP B I₁

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	GRANOLAND SPECIFICATION FOR PRODUCTION
LENGTH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
THICKNESS	BS EN ISO 10545-2	±5%	±4.0% (0.8MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06% (±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
SURFACE FLATNESS :CENTARE CURVATURE	BS EN ISO 10545-2	±0.5%	±0.15% (+1.0MM) ±0.07% (-0.5 MM)
SURFACE FLATNESS :EDGE CURVATURE	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08% (+0.5MM)
SURFACE FLATNESS :WARPAGE	BS EN ISO 10545-2	±0.5%	-0.15% (1.0MM) -0.07% (-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.1%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 4500 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM ²	≥ 36 N/MM ²
RESISTANCE OF SURFACE ABRASION	BS EN ISO 10545-7	MANUFACTURE TO STATE ABRASION CLASS	PEI CLASS -V
COEFFICIENT OF LINER THERMAL EXPANSION	BS EN ISO 10545-8	9 X 10 ⁻⁶ K ⁻¹ MAX	≤ 4 X 10 ⁻⁶ K ⁻¹ MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	10 CYCLES
CRAZING RESISTANCE	BS EN ISO 10545-11	MINI 4 CYCLES AT (750 ±20)Kpa BAR	4 CYCLES PASS
RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SLATS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

NOMINAL SIZE : 60 X 90 CM
THICKNESS : 20.0mm
TYPE OF PRODUCT : OUTDOOR TILE (HEAVY DUTY)
NATURE OF SURFACE : FULL-BODY R11
REF. STANDARD : INTERNATIONAL STANDARD ISO 13006:2015 GROUP B I₁

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	GRANOLAND SPECIFICATION FOR PRODUCTION
LENGTH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±4.0% (0.8MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06% (±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
SURFACE FLATNESS :CENTARE CURVATURE	BS EN ISO 10545-2	±0.5%	±0.15% (+1.0MM) ±0.07% (-0.5 MM)
SURFACE FLATNESS :EDGE CURVATURE	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08% (+0.5MM)
SURFACE FLATNESS :WARPAGE	BS EN ISO 10545-2	±0.5%	-0.15% (1.0MM) -0.07% (-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.1%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 4500 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM ²	≥ 35 N/MM ²
RESISTANCE OF SURFACE ABRASION	BS EN ISO 10545-7	MANUFACTURE TO STATE ABRASION CLASS	PEI CLASS -V
COEFFICIENT OF LINER THERMAL EXPANSION	BS EN ISO 10545-8	9 X 10 ⁻⁶ K ⁻¹ MAX	≤ 4 X 10 ⁻⁶ K ⁻¹ MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	10 CYCLES
CRAZING RESISTANCE	BS EN ISO 10545-11	MINI 4 CYCLES AT (750 ±20)Kpa BAR	4 CYCLES PASS
RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SLATS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

SLABS

Inspired
by
colors
of nature

floor | wall | elevation



- 65 Apuane Satuario
- 66 Arabescato Gold
- 67 Calcutta Elite
- 68 Crystal Onyx
- 69 Lilac Gold
- 70 Marble Volakas
- 71 Espresso
- 72 Essel Brown
- 73 Golden Portoro
- 74 Jet Black Glaze
- 75 Labrador Black
- 76 Laurent Gold
- 77 Pearl White
- 78 Satuario Pearl
- 79 Terrazo White

Available size

- 2400x800
- 3000x800
- 3000x1000
- 3000x1200
- 3000x1600
- 3200x1600



www.arvicon.com

ARVICON

Crafted By Nature

Finish

Glossy
High Glossy
Matt



www.arvicon.com

ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



APUANE SATUARIO



Available sizes | 9mm, 12mm, 15mm, 18mm


www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



ARABESCATO GOLD



Available sizes | 9mm, 12mm, 15mm, 18mm


www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



CALCUTTA ELITE



Available sizes | 9mm, 12mm, 15mm, 18mm

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



CRYSTAL ONYX



Available sizes | 9mm, 12mm, 15mm, 18mm

www.arvicon.com



Finish

Glossy
High-Glossy
Matt



LILAC GOLD



Available sizes | 9mm, 12mm, 15mm, 18mm



Finish

Glossy
High-Glossy
Matt



MARBLE VOLAKAS



Available sizes | 9mm, 12mm, 15mm, 18mm



ARVICON
Created by Nature

Finish

Glossy
High-Glossy
Matt



ESPRESSO



Available sizes | 9mm, 12mm,
15mm, 18mm

www.arvicon.com



ARVICON
Created by Nature

Finish

Glossy
High-Glossy
Matt



ESSEL BROWN



Available sizes | 9mm, 12mm,
15mm, 18mm


www.arvicon.com



ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



GOLDEN PORTORO



Available sizes | 9mm, 12mm, 15mm, 18mm

www.arvicon.com



173

ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



JET BLACK GLAZE



Available sizes | 9mm, 12mm, 15mm, 18mm

www.arvicon.com




174

ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



LABRADOR BLACK



Available sizes | 9mm, 12mm, 15mm, 18mm

www.arvicon.com



175




176

ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



LAURENT GOLD




Available sizes | 9mm, 12mm, 15mm, 18mm

www.arvicon.com

ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



PEARL WHITE



Available sizes | 9mm, 12mm,
15mm, 18mm

www.arvicon.com



177



178

ARVICON
Crafted by Nature

Finish

Glossy
High-Glossy
Matt



SATUARIO PEARL



Available sizes | 9mm, 12mm,
15mm, 18mm

www.arvicon.com



TERRAZO WHITE



Available sizes | 9mm, 12mm, 15mm, 18mm



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF IBS	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 7000 N	Min. 10000 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 13000 N	Min. 18000 N	ISO 10545-4
Breaking strength thickness ≥7.5mm	Min. 13000 N	Min. 75000 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4 / Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2 / Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mmh	Max. 132mmh	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(²) / Posh ≥P1(²-4)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R11	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
** Except Hydrofluoric Acid & it's compound
Tiles intended for use on floor
As per customer requirement

Packing Details

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Clas Stone	1200x3000mm	15mm & 18mm	1pc	38.75 Sq ft	125 & 152
	800x3000mm	15mm & 18mm	1pc	25.83 Sq ft	83.5 & 102

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

SUBWAY TILES

Renovations
with an innovative solution
colors
of rainbow

wall | elevation

83 Lt. Grey
84 White
85 Ivory
86 Sand
87 Wave White
88 Orange
89 Cool Grey
90 Aq. Green
91 Black
92 P Blue
93 Red Blood
94 Lt. Ocean Blue
95 Yellow
96 Purple
97 Al. Blue

98 Dark Grey
99 Dark Ocean Blue
100 Pista
101 Khaki
102 Pink
103 Aq. Blue
104 T. Blue
105 Red Brown
106 Black
107 Bevelled White
108 Bevelled Black
109 Ares White
110 Elegance White
111 Grey
112 Al. Blue

Ultra light
Material
TILE



www.arvicon.com



www.arvicon.com



LT. GREY MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm



WHITE MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm



ARVICON
Crafted by Nature

Finish

Matt
Glazed



IVORY MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



185

ARVICON
Crafted by Nature

Finish

Matt
Glazed



SAND MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



186

ARVICON
Crafted by Nature

Finish

Matt
Glazed



WAVE WHITE
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Matt
Glazed



ORANGE MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Matt
Glazed



COOL GREY MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



89

ARVICON
Crafted by Nature

Finish

Matt
Glazed



AQ. GREEN MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



90

ARVICON
Created by Nature

Finish

Matt
Glazed



**BLACK MATT /
GLOSSY**



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm

www.arvicon.com



ARVICON
Created by Nature

Finish

Matt
Glazed



**P BLUE MATT /
GLOSSY**



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm

www.arvicon.com



ARVICON
Crafted by Nature

Finish

Matt
Glazed



RED BLOOD
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



93

ARVICON
Crafted by Nature

Finish

Matt
Glazed



LT OCEAN BLUE
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



94

ARVICON
Crafted by Nature

Finish

Matt
Glazed



YELLOW MATT /
GLOSSY



Available sizes
300x75 mm
300x100mm
400x100mm
200x100mm

Thickness 9mm

www.arvicon.com




195

ARVICON
Crafted by Nature

Finish

Matt
Glazed



PURPLE MATT /
GLOSSY



Available sizes
300x75 mm
300x100mm
400x100mm
200x100mm

Thickness 9mm

www.arvicon.com



196

ARVICON
Crafted by Nature

Finish

Matt
Glazed



AI. BLUE MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm

www.arvicon.com



97



98

ARVICON
Crafted by Nature

Finish

Matt
Glazed



DARK GREY MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm


Thickness | 9mm

www.arvicon.com

ARVICON
Created by Nature

Finish

Matt
Glazed



**DARK OCEAN BLUE
MATT / GLOSSY**



Available sizes
300x75 mm
300x100mm
400x100mm
200x100mm

Thickness 9mm

www.arvicon.com



ARVICON
Created by Nature

Finish

Matt
Glazed



**PISTA MATT /
GLOSSY**



Available sizes
300x75 mm
300x100mm
400x100mm
200x100mm

Thickness 9mm


www.arvicon.com



ARVICON
Crafted by Nature

Finish

Matt
Glazed



**KHAKI MATT /
GLOSSY**



Available sizes
300x75 mm
300x100mm
400x100mm
200x100mm

Thickness 9mm

www.arvicon.com



101

ARVICON
Crafted by Nature

Finish

Matt
Glazed



**PINK MATT /
GLOSSY**



Available sizes
300x75 mm
300x100mm
400x100mm
200x100mm

Thickness 9mm

www.arvicon.com



102

ARVICON
Created by Nature

Finish

Matt
Glazed



AQ. BLUE
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm

www.arvicon.com



103



104

ARVICON
Created by Nature

Finish

Matt
Glazed



T. BLUE
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm

www.arvicon.com



RED BROWN
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm



BLACK MATT /
GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm






**BEVELLED WHITE
MATT / GLOSSY**



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm



**BEVELLED BLACK
MATT / GLOSSY**



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm



ARVICON
Crafted by Nature

Finish

Matt
Glazed



ARES WHITE
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm

www.arvicon.com



109



110

ARVICON
Crafted by Nature

Finish

Matt
Glazed



ELEGANCE WHITE
MATT / GLOSSY



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm
Thickness | 9mm

www.arvicon.com



**GREY MATT /
GLOSSY**



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm



111



112



**AL. BLUE MATT /
GLOSSY**



Available sizes | 300x75 mm
300x100mm
400x100mm
200x100mm

Thickness | 9mm


TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARD	OUR VALUE
Dimension & Surface Quality		
Dimension & Surface Quality	± 0.5%	± 0.2%
Deviation in Thickness	± 0.6%	± 0.2mm
Straightness Of Sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	Min 95%	Min 96%
Physical Properties		
Water Absorption	> 10%	> 14-17%
Bend Strength	> 150Kg./cm ²	> 200-250Kg./cm ²
Scratch Hardness (Moh's)	Min 3	Min 3
Crazing	1 Cycle	No Craxing at 2 Cycle
Chemical Properties		
Staining Resistance	Min Class 2	Resistance To All Acids And Alkalies
Household Chemical	Min Class B	Household Chemicals Except Hydro Fluric Acid
Thermal Properties		
Thermal Shoke	Resistant to 10 Cycle	Conforms
Thermal Expansion	Max - 9E - 06	Conforms

Elevate your look with Tiles

**IDEALE PER LE RISTRUTTURAZIONI**

PIASTRELLA + COLLA IN MENO DI 1 CM

Ideal for renovations
Thickness of glue and tile less than 1 cmIdéal pour les rénovations
Carreau + colle moins d'un centimètreIdeal für Renovierungen
Verklebung der Fliesen weniger als 1 cm**FACILE E VELOCE DA INSTALLARE**

35 % IN MENO TEMPI DI INSTALLAZIONE

Easy to install
Save 35% of installation timeFacile et rapide à installer
35% en moins sur le temps d'installationEinfach und schnell zu installieren
35% zeitsparend für die Installation**MATERIALE ULTRA LEGGERO**

RIDUZIONE DEL 40 % DEL PESO

Ultralight material
40% weight reductionMatériau ultraléger
Réduction du poids du 40%Ultraleichtes Material
40% Gewichtsreduzierung**MAGGIORE SOSTENIBILITÀ AMBIENTALE**

MINORI EMISSIONI DI CO2 GRAZIE AL MINOR UTILIZZO DI MATERIE PRIME

Highly eco-friendly
The efficient use of raw materials reduces the CO2 emissionsMeilleure durabilité environnementale
Moins d'émissions de CO2 en réduisant l'utilisation des matières premièresUmweltfreundlich
Der Verbrauch von wenigen Rohstoffen reduziert die CO2 Emissionen

Packing	Size/mm	Pc/Box	Kg/Box	Sq.ft.
Chalk matt	75 x 300	35	12.30 approx	8.75